

ALPHA

Soft lines
and technology in harmony



Ideal Standard



Soft lines and technology in harmony

To create a modern and practical bathroom, start with Alpha. The collection offers a wide selection of bathroom and kitchen fittings with a variety of applications and functions. The main quality of these mixers is the soft organic shapes combined with modern technologies that guarantee easy installation, durability, water and energy savings. Here you will find one-hole or exposed basin mixers, shower mixers, one-hole or exposed shower mixers combined with shower accessories, bidet mixer, built-in mixers, as well as various models of kitchen mixers. The fittings are perfectly combined with the ceramic products from the Alpha collection.



Smart shine
finish



Easy-fix
installation



Comfort
73 mm height between the
tap and the basin for a
pleasant use



Hot water
temperature control



Click
technology



BlueStart®
technology



Click Clack
pop-up waste



Singular
from Ideal Standard



Practicality and comfort

The ceramic products in the Alpha collection feature pure lines for easy hygiene maintenance. Rimless technology provides an even higher level of toilet bowl hygiene by making the entire interior space in the bowl accessible and preventing splashing. The collection has been developed in breadth, offering the four most applicable sizes of sinks, hand basins and countertop basin, as well as WC sets, floor standing and wall mounted WC bowls and bidets. The ceramic products are perfectly combined with the Alpha mixers, offering an affordable solution for the entire bathroom.



Rimless
technology



Water saving



Easy to clean



Soft close
seat & cover



Singular
from Ideal Standard

RimLS

**Engineered
for hygiene.**

Innovative technology that delivers easy cleaning:

- Easy to clean, the absence of rim allows easy access to most of the bowl inner surface;
- Fast to clean product resulting in time saving when it comes to maintenance;
- Top ledge preventing over splashing.



BlueStart®

**Engineered
for energy savings.**

This unique technology saves water, energy and therefore money. Its function is to deliver only cold water when the handle is in the central position. This smart technology ensures that the mindless heating of water is avoided when using a standard mixer, where mixed water is delivered in the central position of the handle.



Fittings

Technical specifications

Basin mixer without pop-up waste



Model Ref. No.
Basin mixer without pop-up waste BC552AA

- 35 mm ceramic cartridge with hot water limiter
- Click technology
- Metal handle with red and blue colour indication
- PERLATOR aerator
- Easy-Fix installation
- Flexible hoses G3/8" for water supply

Comply with EN817

Basin mixer with plastic pop-up waste



Model Ref. No.
Basin mixer with plastic pop-up waste BC486AA

- 35 mm ceramic cartridge with hot water limiter
- Click technology
- Metal handle with red and blue colour indication
- PERLATOR aerator
- Easy-Fix installation
- Flexible hoses G3/8" for water supply

Comply with EN817

Basin mixer with metal pop-up waste



Model Ref. No.
Basin mixer with metal pop-up waste BC647AA

- 35 mm ceramic cartridge with hot water limiter
- Click technology
- Metal handle with red and blue colour indication
- PERLATOR aerator
- Easy-Fix installation
- Flexible hoses G3/8" for water supply

Comply with EN817





Basin mixer with Click-Clack waste



Model Ref. No.
Basin mixer with Click-Clack waste BC814AA

- 35 mm ceramic cartridge with hot water limiter
- Click technology
- Metal handle with red and blue colour indication
- PERLATOR aerator
- Easy-Fix installation
- Flexible hoses G3/8" for water supply
- Click - Clack waste for washbasin with overflow

Comply with EN817



Fittings

Technical specifications

Bidet mixer with pop-up waste



Model	Ref. No.
Bidet mixer with plastic pop-up waste	BC487AA

Model	Ref. No.
Bidet mixer with metal pop-up waste 5L/min	BC652AA

- 35 mm ceramic cartridge with hot water limiter
- Metal handle with red and blue colour indication
- Flexible hoses G3/8" for water supply
- Easy-Fix installation
- Aerator with ball joint

Comply with EN817

Shower mixer



Model	Ref. No.
Shower mixer	BC488AA

- 35 mm ceramic cartridge with hot water limiter
- Metal handle with red and blue colour indication
- Check valve
- Standard S-Connections

Comply with EN817

Bath&Shower mixer



Model	Ref. No.
Bath&Shower mixer	BC654AA

- 35 mm ceramic cartridge with hot water limiter
- Click technology
- Metal handle with red and blue colour indication
- Check valve
- Standard S-Connections
- PERLATOR aerator
- Automatic diverter

Comply with EN817





Bath&Shower mixer



Model	Ref. No.
Bath&Shower mixer	BC489AA

- 35 mm ceramic cartridge with hot water limiter
- Metal handle with red and blue colour indication
- Check valve
- Standard S-Connections
- PERLATOR aerator
- Ceramic manual diverter

Comply with EN817



Fittings

Technical specifications

Bath&Shower mixer exposed with accessories




Model Ref. No.

Bath&Shower mixer exposed with accessories BC656AA

- 35 mm ceramic cartridge with hot water limiter
- Metal handle with red and blue colour indication
- Check valve
- Standard S-Connections
- PERLATOR aerator
- Ceramic manual diverter

Accessories: 1F hand shower, metal shower hose 1500 mm, 720 mm shower bar with movable wall brackets

Comply with EN817



Bath&Shower mixer rim mounted




Model Ref. No.

Bath&Shower mixer rim mounted BC655AA

- 35 mm ceramic cartridge with hot water limiter
- Click technology
- Metal handle with red and blue colour indication
- Check valve
- Flexible hoses G3/8" for water supply
- PERLATOR aerator
- Automatic diverter

Comply with EN817



Shower built-in mixer




Model Ref. No.

Shower built-in mixer A7184AA

- Kit1+Kit2 version (complete set)
- 47 mm Click cartridge
- Metal handle with red and blue colour indication
- Chrome plated plastic escutcheon

Comply with EN817



Bath&Shower built-in mixer




Model Ref. No.

Bath&Shower built-in mixer A7185AA

- Kit1+Kit2 version (complete set)
- 47 mm Click cartridge
- Automatic diverter
- Metal handle with red and blue colour indication
- Chrome plated plastic escutcheon

Comply with EN817



Fittings

Technical specifications

Kitchen mixer with high spout



Model	Ref. No.
Kitchen mixer with high spout	BC660AA

- 35 mm ceramic cartridge with hot water limiter
- Click technology
- Metal handle with red and blue colour indication
- Hidden aerator CACHE
- Easy-Fix installation
- Flexible hoses G3/8" for water supply

Comply with EN817

Kitchen mixer



Model	Ref. No.
Kitchen mixer	BC661AA

- 35 mm ceramic cartridge with hot water limiter
- Click technology
- Metal handle with red and blue colour indication
- PERLATOR aerator
- Standard S-connections

Comply with EN817

Kitchen mixer with low attached spout



Model	Ref. No.
Kitchen mixer with low attached spout	BC490AA

Kitchen mixer with low attached spout ND

- 35 mm ceramic cartridge with hot water limiter
- Click technology
- Metal handle with red and blue colour indication
- PERLATOR aerator
- Easy-Fix installation
- Flexible hoses G3/8" for water supply

Comply with EN817





Kitchen mixer with low attached spout ND



Model	Ref. No.
Kitchen mixer with high tubular spout	BC813AA

- 35 mm ceramic cartridge with hot water limiter
- High attached tubular spout rotating on 360°
- Metal handle with red and blue colour indication - printed on handle
- PERLATOR aerator
- Easy-Fix installation
- Flexible hoses G3/8" for water supply
- Finish: Chrome

Comply with EN817



Ceramics

Technical specifications

Washbasin



Model	Ref. No.
Washbasin 65 cm	W331101
Washbasin 60 cm	R027401
Washbasin 55 cm	R033901
Washbasin 50 cm	W331201

- Central tap hole punched, overflow
- Loose on pallet
- For assembly with pedestal R206601 or semi-pedestal W333001, or alone with siphon

Handwash basin



Model	Ref. No.
Handwashbasin 40 cm	R027501

- Right tap hole punched, with overflow
- For alone installation
- Loose on pallet

Countertop basin



Model	Ref. No.
Countertop basin 55 cm	R194101





- Central tap hole punched, with overflow
- In carton box

Wall mounted WC bowl - RimLS technology



Model	Ref. No.
Wall mounted WC bowl - RimLS technology	W331301

- Washdown
- Horizontal outlet
- Loose on pallet
- Seat & covers:
 - duroplast, soft close hinges E131801
 - duroplast, metal hinges E131701
 - duroplast, nylon hinges E131601
 - duroplast, soft close hinges W303001
 - duroplast, metal hinges W302601
 - polypropylene, metal hinges W303801
 - polypropylene, nylon hinges W835001



Ceramics

Technical specifications

Wall mounted WC bowl



Wall mounted bidet



Floor standing WC bowl for combination



Floor standing WC bowl for combination



Model	Ref. No.
Wall mounted WC bowl	E876901

- Washdown
- Horizontal outlet
- Loose on pallet
- Seat & covers:
 - duroplast, soft close hinges E131801
 - duroplast, metal hinges E131701
 - duroplast, nylon hinges E131601
 - duroplast, soft close hinges W303001
 - duroplast, metal hinges W302601
 - polypropylene, metal hinges W303801
 - polypropylene, nylon hinges W835001

Model	Ref. No.
Wall mounted bidet	E877301





- One taphole punched
- Loose on pallet

Model	Ref. No.
Floor standing WC bowl for combination	R027201

- Washdown, horizontal outlet
- Loose on pallet
- Fixation set WW965068 (1 set separate order)
- Toilet cistern for combination:**
 - 3/6 l dual flush, bottom inlet R035901
 - 3/6 l dual flush, side inlet R027301
- Seat & covers for combination:**
 - duroplast, soft close hinges E131801
 - duroplast, metal hinges E131701
 - duroplast, nylon hinges E131601
 - duroplast, soft close hinges W303001
 - duroplast, metal hinges W302601
 - polypropylene, nylon hinges W835001

Model	Ref. No.
Floor standing WC bowl for combination	R033801

- Washdown, vertical outlet
- Loose on pallet
- Fixation set WW965068 (1 set separate order)
- Toilet cistern for combination:**
 - 3/6 l dual flush, bottom inlet R035901
 - 3/6 l dual flush, side inlet R027301
- Seat & covers for combination:**
 - duroplast, soft close hinges E131801
 - duroplast, metal hinges E131701
 - duroplast, nylon hinges E131601
 - duroplast, soft close hinges W303001
 - duroplast, metal hinges W302601
 - polypropylene, nylon hinges W835001



Ceramics

Technical specifications

Floor standing single WC bowl



Floor standing single WC bowl



Floor standing bidet



Model	Ref. No.
Floor standing single WC bowl, horizontal outlet	T530801




- Washdown
- Horizontal outlet
- Loose on pallet
- Fixation set WW965068 (1 set separate order)
- Seat & covers for WC combination: duroplast, nylon hinges W304001

Model	Ref. No.
Floor standing single WC bowl, vertical outlet	T530901

- Washdown
- Vertical outlet
- Loose on pallet
- Fixation set WW965068 (1 set separate order)
- Seat & covers for WC combination: duroplast, nylon hinges W304001

Model	Ref. No.
Floor standing bidet	T531101

- One tap hole punched
- Loose on pallet
- Fixation set WW965068 (1 set separate order)





Ideal Standard

Ideal Standard-Vidima AD
53 Marin Popov Street
5400 Sevlievo, Bulgaria
Tel: +359 675 30362
office@idealstandard.com

Representative office, Bucharest
Calea Victoriei Nr. 109,
010069 Bucharest, Romania
Tel: +40 21 322 3201
Tel: +40 21 322 3202
OfficeBucharest@idealstandard.com

Representative office, Belgrade
Drinčićevo no.19, apartment no.8
11000 Belgrade, Serbia
Tel/Fax: +381 11 7138 058
Tel/Fax: +381 11 7138 059
OBelgrade@IdealStandard.com

Contact for Hungary
Tel: +36 70 2286730
SBrankovics@idealstandard.com

**Contact for Albania, Kosovo
and Bosnia & Herzegovina**
Tel: +359 887 709 696
IMichev@idealstandard.com

Representative office Croatia
Lopatinečka ul.8
10000 Zagreb
Tel: +38591 22 99 304
HPavicic@idealstandard.com

**Representative office
Estonia, Latvia and Lithuania**
Kestucio g. 65
LT-08124 Vilnius
Tel: +370 667 39400
IJankauskas@idealstandard.com

Contact for Slovenia
Tel: +39 040 2158058
info@liaison.it